## TRATAMENTO INOVADOR PARA ÚLCERAS INDOLENTES EM CÃES.

## ALIMED TEC

Agora você tem um aliado para tratar úlceras superficiais em cães que não cicatrizam somente com colírios.









## BROCA DE DIAMANTE



Também conhecida por Diamond Bur, a broca de diamante associada a um motor portátil de baixa rotação é o tratamento efetivo para úlceras recorrentes ou indolentes. A broca pode ser esterilizada em autoclave e reutilizada. O epitélio com defeito se desprende com facilidade durante o procedimento. É necessário anestesia tópica e/ou anestesia geral/sedação do paciente. Após recomenda-se uso de lente de contato terapêutica por 7 a 14 dias e colar elisabetano.

## REFERÊNCIAS

1-GOSLING, Allyson A.; LABELLE, Amber L.; BREAUX, Carrie B. Management of spontaneous chronic corneal epithelial defects (SCCEDs) in dogs with diamond burr debridement and placement of a bandage contact lens. Veterinary ophthalmology, v. 16, n. 2, p. 83-88, 2013.

2-REIDY, James J.; PAULUS, M. Peter; GONA, Suma. Recurrent erosions of the cornea: epidemiology and treatment. Cornea, v. 19, n. 6, p. 767-771, 2000.